

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|------------------|
| L1 | 54 | Jumping Beans | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 06:58 |
| L2 | 24375 | (replac\$4 or remov\$4 or swap\$4) same (code or program or software or executable) same (server or database or codebase) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 07:00 |
| L3 | 11621 | (replac\$4 or remov\$4 or swap\$4) with (code or program or software or executable) same (server or database or codebase) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 07:03 |
| L4 | 11427 | ((client near2 server) or (hub near2 spoke)) (architecture or design or network) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 07:05 |
| L5 | 672 | 3 and 4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 07:07 |
| L6 | 409 | (trusted or secur\$4) and 5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 07:08 |
| L7 | 55 | (trusted or secur\$4) same 3 and 5 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 07:11 |
| L8 | 354 | replac\$4 with (safe or trusted or secure) with (code or executable or software or program) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 07:50 |

EAST Search History

| | | | | | | |
|-----|------|---|---|-----|----|------------------|
| L9 | 49 | restor\$4 with (safe or trusted or secure) with (code or executable or software or program) same (database or codebase or server) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 07:51 |
| L11 | 34 | "6065039" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 07:54 |
| L19 | 1035 | (restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 08:17 |
| L20 | 265 | (restor\$4 or replac\$4) with (modif\$4 or alter\$4 or chang\$4 or tamp\$4) with (code or program or executable or software) same (database or codebase or server or secur\$4) same (original or trusted or secure or safe) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 08:18 |
| L21 | 300 | 726/30.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:01 |
| L22 | 13 | 726/30.ccls. and (replac\$4 or remo\$4) (code or program or software or executable) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:03 |
| L23 | 7 | 726/30.ccls. and (replac\$4 or remov\$4) (code or program or software or executable) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:06 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|-----|----|------------------|
| L24 | 20186 | (replac\$4 or remov\$4 or restor\$4 or swap\$4) and (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:17 |
| L25 | 222181 | "726".clas. or "713".clas. or "380".clas. or "709".clas. or "455".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:14 |
| L26 | 8506 | 24 and 25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:14 |
| L27 | 38759 | (jumping or mobile or intelligent or autonomous) near2 (application or agent or code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:15 |
| L28 | 848 | 26 and L27 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:15 |
| L29 | 6603 | (replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) and (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:20 |
| L30 | 279 | 28 and 29 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:19 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|-----|----|------------------|
| L31 | 2730 | (replac\$4 or remov\$4 or restor\$4 or swap\$4) same (original or trusted or unmodified or safe or tamper proof) same (code or program or software or executable) and ((trusted or secur\$4 or tamper proof or protected) near2 (code or codebase or database or server or processor or memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:21 |
| L32 | 144 | 25 and 27 and 31 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:25 |
| S1 | 36 | ("5633932" "5850516" "5850517" "5963731" "5968176" "5974549" "6009456" "6065118" "6141327" "6173405" "6189103" "6192354" "6233601" "6272528" "6308181" "6539416" "6615232" "6622157").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 06:55 |
| S2 | 7466 | (jumping or mobile) (application or app or agent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/05 13:57 |
| S3 | 36 | ("5633932" "5850516" "5850517" "5963731" "5968176" "5974549" "6009456" "6065118" "6141327" "6173405" "6189103" "6192354" "6233601" "6272528" "6308181" "6539416" "6615232" "6622157").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/05 13:57 |
| S4 | 25504 | (secur\$3 or trust\$3 or authoriz\$4) (code or app or application or software or job or source) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/05 13:59 |
| S5 | 323 | S2 and S4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/05 14:00 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|-----|-----|------------------|
| S6 | 35351 | (remove or replace) near3 (code or app or application or source) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/05 14:01 |
| S7 | 38 | S5 and S6 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/10 09:38 |
| S8 | 0 | ("2001/0051515").URPN. | USPAT | ADJ | ON | 2007/01/05 14:03 |
| S9 | 32869 | (mobile or executable or jump\$) adj (code or software or document or application or agent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/10 08:00 |
| S10 | 1 | ("6622157").PN. | US-PGPUB; USPAT | OR | OFF | 2007/01/10 08:03 |
| S11 | 5441 | 709/223.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/10 08:03 |
| S12 | 5704 | 709/224.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/10 08:03 |
| S13 | 2634 | 709/225.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/10 08:03 |
| S14 | 2403 | 709/226.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/10 08:04 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|-----|----|------------------|
| S15 | 3264 | 709/229.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/10 08:04 |
| S16 | 15746 | S10 or S11 or S12 or S13 or S14 or S15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/10 08:04 |
| S17 | 3031 | (remove\$3 or replac\$3 or strip\$4 or eliminate) code | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/10 09:39 |
| S18 | 29 | S16 and S17 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/10 09:44 |
| S19 | 35383 | (remove or replace) near3 (code or app or application or source) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/11 10:29 |
| S20 | 360 | S16 and S19 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/10 09:45 |
| S21 | 13016 | "717".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/11 10:30 |
| S23 | 35436 | (remove or replace) near3 (code or app or application or source) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/11 10:30 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|-----|----|------------------|
| S24 | 1037 | S21 and S23 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/11 10:31 |
| S25 | 468 | S24 and database | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/01/11 10:31 |
| S26 | 1 | 10/686886 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/04 17:47 |
| S27 | 1 | 10/686897 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 14:11 |
| S28 | 31585 | (jumping or mobile or intelligent or autonomous) near2 (application or agent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:33 |
| S29 | 38713 | (jumping or mobile or intelligent or autonomous) near2 (application or agent or code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/08 09:14 |
| S30 | 1658 | security and ((replace or remove or swap) same (code or malicious or virus) same (server or database or codebase)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 17:49 |
| S31 | 207 | S29 and S30 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:18 |

EAST Search History

| | | | | | | |
|-----|------|---|---|-----|----|------------------|
| S32 | 6 | 09/591034 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:18 |
| S33 | 39 | "5787427" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:31 |
| S34 | 39 | "5787427" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:32 |
| S35 | 2634 | replac\$4 with (code or program) same (server or database or codebase) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:34 |
| S36 | 193 | S29 and S35 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:38 |
| S37 | 0 | replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:35 |
| S38 | 8 | replac\$4 with ((malicious or bad) (code or program)) same (server or database or codebase) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:35 |
| S39 | 145 | replace with code with database | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:40 |

EAST Search History

| | | | | | | |
|-----|----|---|---|-----|----|------------------|
| S40 | 0 | replace same (untrusted or malicious or suspicious) (code or program) same (secure or trusted or protected) same (database or server or codebase) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:41 |
| S41 | 81 | replace same (malicious or untrusted or suspicious) same (code or program) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/07 18:42 |